

LOWER KUSKOKWIM SCHOOL DISTRICT


Plant Facilities

P.O. Box 305, Bethel, AK. 99559
(Phone: 907-543-4890, FAX : 907-543-4908)

MEMORANDUM

DATE: December 7, 2023

TO: All classified, certified, contract staff, and the parents of the students attending Mikelnguut Elitnaurviat/Preschool

FROM: 
John Hooper
Regulatory Compliance Officer

SUBJECT: ANNUAL NOTIFICATION OF ASBESTOS ACTIVITIES

During the 2023/2024 school year the Lower Kuskokwim School District continues to comply with EPA's AHERA (Asbestos Hazard Emergency Response Act) regulations. This is done through an Operations and Maintenance program, and two formal inspections of asbestos material each year. If risky conditions are found steps are taken to repair the damaged asbestos and return it to good, intact condition.

The updating of the Management Plan includes current information regarding where asbestos-containing materials are located, work done on asbestos materials, employee training, and the results of the two informal inspections.

No major projects are planned for your site for this school year that would involve the disturbance of the asbestos. The O&M program continues to be the major approach to dealing with the asbestos-containing materials in this facility.

The Preventative Maintenance Supervisors have conducted a two hour Asbestos Awareness training sessions at all sites. Additional sessions can be arranged at your site whenever there is a need. The purpose of these sessions is to make people who are concerned about asbestos in the schools more aware of what asbestos is and how it can and cannot harm you. Information is presented on where asbestos is located in your school and how to work around asbestos containing materials without creating an asbestos hazard.

All Management Plan documents are available for public inspection during normal working hours, and are located in the Site Administrator's office. Anyone wishing to review these documents should make arrangements with the Site Administrator. These documents are not to be removed from the school office.

This notice satisfies the requirements of §763.93(g)(4) of the AHERA regulations.

CC: Site AHERA correspondence file